

# Package: RnavGraphImageData (via r-universe)

September 14, 2024

**Type** Package

**Title** Image Data Used in the Loon Package Demos

**Version** 0.0.4

**Description** Image data used as examples in the loon R package.

**URL** <http://waddella.github.io/loon/>

**Depends** R (>= 2.10.0)

**License** GPL-2

**NeedsCompilation** no

**Author** Adrian Waddell [aut, cre], R. Wayne Oldford [aut]

**Maintainer** Adrian Waddell <adrian@waddell.ch>

**Date/Publication** 2018-05-15 21:09:03 UTC

**Repository** <https://waddella.r-universe.dev>

**RemoteUrl** <https://github.com/cran/RnavGraphImageData>

**RemoteRef** HEAD

**RemoteSha** efebb5f84ba4820f62e5d87ceb991d28c9b3756b

## Contents

binaryalphadigits . . . . .	2
digits . . . . .	2
faces . . . . .	3
frey . . . . .	3
L2Distance . . . . .	4
ordalphadigits . . . . .	5
ordfrey . . . . .	5

<b>Index</b>	<b>6</b>
--------------	----------

---

binaryalphadigits      *Binary Alphadigits*

---

**Description**

Binary 20x16 digits of "0" through "9" and capital "A" through "Z". 39 examples of each class.

From Simon Lucas' (sml@essex.ac.uk), Algoval system.

**Usage**

binaryalphadigits

**Format**

Data frame with one image per row.

**Source**

<http://www.cs.nyu.edu/~roweis/data.html>

---

digits      *USPS Handwritten Digits*

---

**Description**

8-bit 16x16 grayscale images of "0" through "9"; 1100 examples of each class.

**Usage**

digits

**Format**

Data frame with one image per column.

**Source**

<http://www.cs.nyu.edu/~roweis/data.html>

---

faces

*Olivetti Faces*

---

**Description**

Grayscale faces 8 bit [0-255], a few images of several different people.

400 total images, 64x64 size.

From the Olivetti database at ATT.

**Usage**

faces

**Format**

Data frame with one image per column.

**Source**

<http://www.cs.nyu.edu/~roweis/data.html>

---

frey

*Frey Face*

---

**Description**

From Brendan Frey. Almost 2000 images of Brendan's face, taken from sequential frames of a small video. Size: 20x28.

**Usage**

frey

**Format**

Data frame with one image per column.

**Source**

<http://www.cs.nyu.edu/~roweis/data.html>

---

L2Distance

*Euclidean distances between vector in A and B*

---

### Description

This fully vectorized (VERY FAST!) m-file computes the Euclidean distance between two vectors by:

$$\|A-B\| = \text{sqrt} ( \|A\|^2 + \|B\|^2 - 2*A.B )$$

### Usage

```
L2Distance(a, b, df = 0)
```

### Arguments

a	Either a matrix or a vector.
b	Either a matrix or a vector.
df	df = 1, force diagonals to be zero; 0 (default), do not force.

### Value

For A - (DxM) matrix B - (DxN) matrix  
L2Distance returns a matrix of size (MxN).

### Note

This function was transcribed by the package maintainers from a Matlab to an R function.

### Author(s)

Roland Bunschoten

### Examples

```
A = matrix(runif(400*100),ncol=100)
B = matrix(runif(400*200),ncol=200)

d = L2Distance(A,B)
```

---

ordalphadigits	<i>Dissimilarity object of class 'isomap' for Binary Alphadigits data</i>
----------------	---

---

**Description**

Dissimilarity object of class 'isomap'. Returned from:  
isomap(vegdist(binaryalphadigits), k=6).

**Usage**

```
ordalphadigits
```

**Format**

Object of class 'isomap'.

---

ordfrey	<i>Dissimilarity object of class 'isomap' for Frey Faces data</i>
---------	---

---

**Description**

Dissimilarity object of class 'isomap'. Returned from:  
isomap(vegdist(t(frey), method="euclidean"), k = 12, ndim=6, fragmentedOK = TRUE)

**Usage**

```
ordfrey
```

**Format**

Object of class 'isomap'.

# Index

## \* datasets

binaryalphadigits, 2

digits, 2

faces, 3

frey, 3

ordalphadigits, 5

ordfrey, 5

binaryalphadigits, 2

digits, 2

faces, 3

frey, 3

L2Distance, 4

ordalphadigits, 5

ordfrey, 5